

DATE OF INSPECTION: 03/17/09

# NOTICE TO COMPLY

The following numbered Notices to Comply (served concurrently herewith) constitute parts of this Notice to Comply: Notice #1(s)

FACILITY NAME: 2H CONSTRUCTION		FACILITY ID #	
LOCATION ADDRESS: 6400 FIDYNES DR		MAILING ADDRESS	
CITY: LONG BEACH	ZIP: 90804	CITY: SIGNAL HILL	ZIP: 90755
SECTOR: RA		TELEPHONE #: (562) 577-7099	

YOU ARE DIRECTED TO COMPLY WITH:				REPLY REPORT BY CITED FACILITY: (attach additional pages as necessary)	
ITEM #	• AQMD Permit # or Equipment Desc. • AQMD Rule # • Cal HES Code §	A MEANS OF ACHIEVING COMPLIANCE IS:	DATE COMPLIANCE DUE	DATE COMPLIANCE ACHIEVED	DESCRIPTION OF HOW COMPLIANCE WAS ACHIEVED
1	11501(h)(2)(A)	ADD ADDITIONAL COVER AND COMPRESSION TO REDUCE THE EMISSIONS TO LESS THAN 500 ppmv METHANE.	04/17/09		
2					
3					

SERVED TO: SEAN HITCHCOCK	BY INSPECTOR	SIGNATURE OF OWNER/RESPONSIBLE OFFICIAL:
TITLE: PRESIDENT	TELEPHONE	
DATE: 04/03/09		

TITLE:	DATE:
--------	-------

## INSTRUCTION/INFORMATION:

- For each minor violation cited compliance shall be achieved by the due date specified above for that particular violation.
- Within 5 working days of achieving compliance for each respective violation, the owner/responsible officer of the cited facility must complete and return a signed copy of this Notice to the South Coast Air Quality Management District at the address listed above. Please copy this Notice as many times as necessary to provide the required information. On each copy, include a written statement describing when and how compliance was achieved. Send all completed copies to the attention of the inspector named above.
- Failure to respond or a false statement that compliance has been achieved is a violation subject to further legal action pursuant to the California Health and Safety Code.
- Any person issued a Notice to Comply may appeal the issuance by filing a written appeal, including all reasons for the appeal, with the South Coast Air Quality Management District at the address listed above within 7 days of receipt of the Notice.
- The facility cited in this Notice is subject to reinspection at any time to ensure compliance.

NO. D 18289 SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

FILE COPY (blue) SOURCE COPY (gold) INSPECTOR COPY (white)



PER 02-09 03:55PM AQMD NEWS BUREAU 209 396 3735